



Gramin Krishi Mausam Sewa
District Level Agromet Advisory Bulletin
Govind Ballabh Pant University of Agriculture & Technology
 Udham Singh Nagar, Pantnagar, Uttarakhand



Agromet Advisory Bulletin

Date : 06-01-2023

Weather Forecast of District UDAMSINGH-NAGAR(Uttarakhand) Issued On : 2023-01-06(Valid Till 08:30 IST of the next 5 days)

Parameter	2023-01-07	2023-01-08	2023-01-09	2023-01-10	2023-01-11
Rainfall(mm)	0.0	0.0	0.0	0.0	0.0
Tmax(°C)	15.0	19.0	21.0	22.0	22.0
Tmin(°C)	9.0	10.0	11.0	11.0	11.0
RH-I(%)	95	95	95	95	95
RH-II(%)	30	30	30	30	30
Wind Speed(kmph)	6.0	6.0	6.0	6.0	6.0
Wind Direction(Degree)	320	310	320	320	320
Cloud Cover(Octa)	1	0	1	3	1

Weather Summary/Alert:

In the last seven days (30 Dec - 5 Jan, 2022), there was 0.0 mm rain and the sky was clear. The maximum & minimum temperatures ranged between 9.0 to 20.5°C and 4.4 to 9.9°C respectively. Relative humidity ranges from 85 to 94 % at 0712 hrs and 64 to 97 % at 1412 hrs. The wind was mainly from the WNW, WSW & ENE with a speed of 0.0 to 2.6 km/hour. In the coming five days, weather will remain clear. Maximum & minimum temperature may range from 15.0-22.0 deg C & 9.0 - 11.0 deg C respectively. Wind will blow with a speed of 6.0 km/hr from the NW direction. Warning: Cold day condition likely to occur in some part of the plains on 6 Jan and Moderate to dense fog likely to occur in some parts of plains on 6 Jan, 2023.

General Advisory:

IMD Weather forecast and Agrometeorological advisory of your location is now available on Meghdoot mobile app in English and regional languages. Kindly download from following link Android: <https://play.google.com/store/apps/details?id=com.aas.meghdoot> iOS: <https://apps.apple.com/in/app/meghdoot/id1474048155> Irrigation should be given in the new orchards to save them from frost and necessary arrangement of nutrients should be done for crops and weeding, hoeing and irrigation should also be done.

SMS Advisory:

There is a forecast of no rain in the coming five days. Cold day condition & dense fog likely to occur on 6 Jan. Farmers are advised to irrigate the crop as per requirement.

Crop Specific Advisory:

Crop(Varieties)	Crop Specific Advisory
WHEAT	It is advised that wheat crop should not be sown in the month of January because wheat sowing during this period causes the yield reduction of 60-65Kg/Ha/day and hot wind during ripening stage of crop causes thinning of wheat grain. First irrigation should be given at an interval of 20-25 days of sowing at the CRI stage and second irrigation should be

Crop(Varieties)	Crop Specific Advisory
	given at 40-45 days of sowing. To control the broad leaf weed, solution of 2,4 D @ 500 g/ha or metsulfuron methyl @ 4.0 g/ha in 30-35 days after sowing and isoproturon @ 1 kg/ha in case of narrow leaf weed in 30-35 days after sowing should be used.
SUGARCANE	To save the standing naulakh sugarcane crop from frost, necessary irrigation should be applied. Harvesting of early naulakh sugarcane should not be done at this low temperature.
MUSTARD	On the occurrence of Mahu in the mustard crop, Thiamethoxam 25 WSG @ 50-100g/Ha should be sprayed and its waiting period is 21 days.
BARLEY	Weeding and hoeing should be done after 25-30 days of sowing in late sowing variety of Barley and necessary irrigation should be applied.

Horticulture Specific Advisory:

Horticulture(Varieties)	Horticulture Specific Advisory
ONION	Transplanting of onion should be completed till 15 January. Line to line and plant to plant distance should be 15 cm and 10 cm respectively.
CAULIFLOWER	To control the leaf spot disease in cole crops, the solution of mancozeb @ 2.5 g/liter of water should be sprayed.
POTATO	To control the late blight disease in potato, it is advised that solution of Mancozeb @ 2.5g/liter of water should be sprayed.
CHILLI	To save the chilly from Thrips, Lambda cyhalothrin 5EC @300ml/Ha or Fipronil 5SC @ 1Liter/Ha should be sprayed and chilly is used after 7 days of spraying of chemicals.

Live Stock Specific Advisory:

Live Stock(Varieties)	Live Stock Specific Advisory
BUFFALO	To save the animals from the cold, proper arrangement of the animal shed should be done. To save the animal from cold, increase the amount of oil and Jaggery (Gur) in the food of animals. Caraway (Ajwain) and gur also be given to the animals. In hilly areas, the heater may be used to protect the animals from cold. Rice husk should be given to the animals as food which is the source of energy.
COW	To save the animals from the cold, proper arrangement of the animal shed should be done. To save the animal from cold, increase the amount of oil and Jaggery (Gur) in the food of animals. Caraway (Ajwain) and gur also be given to the animals. In hilly areas, the heater may be used to protect the animals from cold. Rice husk should be given to the animals as food which is the source of energy.